000 **Formatting Instructions for NIPS 2013** 004 006 **Anonymous Author(s)** 008 Affiliation 009 Address 010 email 012 013 Abstract 015 The abstract paragraph should be indented 1/2 inch (3 picas) on both left and right-016 hand margins. Use 10 point type, with a vertical spacing of 11 points. The word Abstract must be centered, bold, and in point size 12. Two line spaces precede the abstract. The abstract must be limited to one paragraph. 1 Submission of papers to NIPS 2013 NIPS requires electronic submissions. The electronic submission site is http://papers.nips.cc 026 Please read carefully the instructions below, and follow them faithfully. 028 1.1 Style Papers to be submitted to NIPS 2013 must be prepared according to the instructions presented here. Papers may be only up to eight pages long, including figures. Since 2009 an additional ninth page containing only cited references is allowed. Papers that exceed nine pages will not be reviewed, or in any other way considered for presentation at the conference. 034 Please note that this year we have introduced automatic line number generation into the style file (for LATEX 2_{ε} and Word versions). This is to help reviewers refer to specific lines of the paper when they make their comments. Please do NOT refer to these line numbers in your paper as they will be removed from the style file for the final version of accepted papers. 038 The margins in 2013 are the same as since 2007, which allow for $\approx 15\%$ more words in the paper 040 compared to earlier years. We are also again using double-blind reviewing. Both of these require the use of new style files. 042 Authors are required to use the NIPS LATEX style files obtainable at the NIPS website as indicated 043 below. Please make sure you use the current files and not previous versions. Tweaking the style files 044 may be grounds for rejection. 046 1.2 Retrieval of style files 047 048 The style files for NIPS and other conference information are available on the World Wide Web at http://www.nips.cc/ The file nips2013.pdf contains these instructions and illustrates the various formatting re-

001 002

007

011

014

017

018

019

021

022

025

027

029

031

033

037

041

051

052 quirements your NIPS paper must satisfy. LATEX users can choose between two style files: nipsllsubmit_09.sty (to be used with LATEX version 2.09) and nipsllsubmit_e.sty (to be used with LATEX2e). The file nips2013.tex may be used as a "shell" for writing your paper. All you have to do is replace the author, title, abstract, and text of the paper with your own. The file nips2013.rtf is provided as a shell for MS Word users.

The formatting instructions contained in these style files are summarized in sections 2, 3, and 4 below.

059 060

2 General formatting instructions

061 062

The text must be confined within a rectangle 5.5 inches (33 picas) wide and 9 inches (54 picas) long.
The left margin is 1.5 inch (9 picas). Use 10 point type with a vertical spacing of 11 points. Times
New Roman is the preferred typeface throughout. Paragraphs are separated by 1/2 line space, with
no indentation.

Paper title is 17 point, initial caps/lower case, bold, centered between 2 horizontal rules. Top rule is
4 points thick and bottom rule is 1 point thick. Allow 1/4 inch space above and below title to rules.
All pages should start at 1 inch (6 picas) from the top of the page.

For the final version, authors' names are set in boldface, and each name is centered above the corresponding address. The lead author's name is to be listed first (left-most), and the co-authors' names (if different address) are set to follow. If there is only one co-author, list both author and co-author side by side.

Please pay special attention to the instructions in section 4 regarding figures, tables, acknowledgments, and references.

077

079

083 084

085

089

090 091

092

3 Headings: first level

First level headings are lower case (except for first word and proper nouns), flush left, bold and in
point size 12. One line space before the first level heading and 1/2 line space after the first level
heading.

3.1 Headings: second level

Second level headings are lower case (except for first word and proper nouns), flush left, bold and
in point size 10. One line space before the second level heading and 1/2 line space after the second
level heading.

3.1.1 Headings: third level

Third level headings are lower case (except for first word and proper nouns), flush left, bold and in point size 10. One line space before the third level heading and 1/2 line space after the third level heading.

094 095 096

097

100

4 Citations, figures, tables, references

⁰⁹⁸ These instructions apply to everyone, regardless of the formatter being used.

4.1 Citations within the text

101 102 Citations within the text should be numbered consecutively. The corresponding number is to appear 103 enclosed in square brackets, such as [1] or [2]-[5]. The corresponding references are to be listed in 104 the same order at the end of the paper, in the **References** section. (Note: the standard BIBTEX style 105 unsrt produces this.) As to the format of the references themselves, any style is acceptable as long 106

As submission is double blind, refer to your own published work in the third person. That is, use "In the previous work of Jones et al. [4]", not "In our previous work [4]". If you cite your other papers

| | | Table 1: Sample table title | | |
|--------|--|-----------------------------|------------------------------------|---|
| | | PART | DESCRIPTION | |
| | | D. 1.14 | To a state and a st | |
| | | Dendrite Axon | Input terminal Output terminal | |
| | | Soma | Cell body (contains cell r | ucleus) |
| | | bonna | | |
| | | | | |
| .1 . | | 1 (' | 1 1 | a : a |
| | ion, e.g. an author of | | | use anonymous author names in the |
| cnai | ion, c.g. an autior of | | . Anonymous . | |
| | _ | | | |
| 1.2 | Footnotes | | | |
| in di | aata faatnataa with a | numborl in t | he taxt. Diago the featureter | at the bottom of the page on which |
| | dicate footnotes with a number ¹ in the text. Place the footnotes at the bottom of the page on which ey appear. Precede the footnote with a horizontal rule of 2 inches (12 picas) . ² | | | |
| .ney | appear. I recede the l | | | ics (12 picas). |
| | | | | |
| 1.3 | Figures | | | |
| A 11 | | alaan - 1 | logible. Lince should be | last anough for provident of some |
| | | | | lark enough for purposes of repro- and caption always appear after the |
| | | | | and caption always appear after the ne space after the figure. The figure |
| | | | | gures are numbered consecutively. |
| - | | - | . . · | - |
| | | | | ure. Leave sufficient space to avoid |
| spiit | ting the figure and fig | gure caption. | | |
| | | | | ptions and the paper body to make |
| sens | e if the paper is printe | ed either in l | olack/white or in color. | |
| | | | | _ |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | Figu | are 1: Sample figure captio | n. |
| | | | | |
| | | | | |
| | Τ-11 | | | |
| 1.4 | Tables | | | |
| A 11 4 | ables must be contered | d neat also | n and legible. Do not use h | and drawn tables. The table number |
| | title always appear be | | | and-drawn tables. The table number |
| | • • • • • | | | |
| | | | | e table title, and one line space after |
| | able. The table title must be lower case (except for first word and proper nouns); table | | vord and proper nouns); tables are | |
| num | bered consecutively. | | | |
| | | | | |
| 1 | Sample of the first footr | note | | |

²Sample of the second footnote

162 163 164

165

166

167 168

170

171

172

186

187

188

189

190

192

193

194

196

199

200

202

203

204 205

206

207

208

210

211

212

213

214

215

5 Final instructions

Do not change any aspects of the formatting parameters in the style files. In particular, do not modify the width or length of the rectangle the text should fit into, and do not change font sizes (except perhaps in the **References** section; see below). Please note that pages should be numbered.

6 Preparing PostScript or PDF files

Please prepare PostScript or PDF files with paper size "US Letter", and not, for example, "A4". The -t letter option on dvips will produce US Letter files.

Fonts were the main cause of problems in the past years. Your PDF file must only contain Type 1 or Embedded TrueType fonts. Here are a few instructions to achieve this.

- 175 • You can check which fonts a PDF files uses. In Acrobat Reader, select the menu 176 Files>Document Properties>Fonts and select Show All Fonts. You can also use the pro-177 gram pdffonts which comes with xpdf and is available out-of-the-box on most Linux 178 machines. 179 • The IEEE has recommendations for generating PDF files whose fonts are also accept-180 able for NIPS. Please see http://www.emfield.org/icuwb2010/downloads/ 181 IEEE-PDF-SpecV32.pdf 182 • LaTeX users: 183 - Consider directly generating PDF files using pdflatex (especially if you are a MiK-185 TeX user). PDF figures must be substituted for EPS figures, however.
 - Otherwise, please generate your PostScript and PDF files with the following commands:

dvips mypaper.dvi -t letter -Ppdf -GO -o mypaper.ps ps2pdf mypaper.ps mypaper.pdf

- Check that the PDF files only contains Type 1 fonts.
- xfig "patterned" shapes are implemented with bitmap fonts. Use "solid" shapes instead.
 - The \bbold package almost always uses bitmap fonts. You can try the equivalent AMS Fonts with command

\usepackage[psamsfonts]{amssymb}

or use the following workaround for reals, natural and complex:

- \newcommand{\RR}{I\!\!R} %real numbers
 \newcommand{\Nat}{I\!\!N} %natural numbers
- \newcommand{\CC}{I\!\!\!C} %complex numbers
- Sometimes the problematic fonts are used in figures included in LaTeX files. The ghostscript program eps2eps is the simplest way to clean such figures. For black and white figures, slightly better results can be achieved with program potrace.
- MSWord and Windows users (via PDF file):
 - Install the Microsoft Save as PDF Office 2007 Add-in from http: //www.microsoft.com/downloads/details.aspx?displaylang= en&familyid=4d951911-3e7e-4ae6-b059-a2e79ed87041
 - Select "Save or Publish to PDF" from the Office or File menu
- MSWord and Mac OS X users (via PDF file):
 - From the print menu, click the PDF drop-down box, and select "Save as PDF..."
- MSWord and Windows users (via PS file):
- To create a new printer on your computer, install the AdobePS printer driver and the Adobe Distiller PPD file from http://www.adobe.com/support/ downloads/detail.jsp?ftpID=204 *Note:* You must reboot your PC after installing the AdobePS driver for it to take effect.

```
216
                  - To produce the ps file, select "Print" from the MS app, choose the installed AdobePS
217
                    printer, click on "Properties", click on "Advanced."
218
                  - Set "TrueType Font" to be "Download as Softfont"
219
                  - Open the "PostScript Options" folder
220
                  - Select "PostScript Output Option" to be "Optimize for Portability"
221
                  - Select "TrueType Font Download Option" to be "Outline"
222
                  - Select "Send PostScript Error Handler" to be "No"
223
                  - Click "OK" three times, print your file.
224
                  - Now, use Adobe Acrobat Distiller or ps2pdf to create a PDF file from the PS file. In
225
                     Acrobat, check the option "Embed all fonts" if applicable.
226
227
       If your file contains Type 3 fonts or non embedded TrueType fonts, we will ask you to fix it.
228
        6.1 Margins in LaTeX
230
231
        Most of the margin problems come from figures positioned by hand using \special or other
232
        commands. We suggest using the command \includegraphics from the graphicx package.
233
        Always specify the figure width as a multiple of the line width as in the example below using .eps
234
        graphics
235
236
            \usepackage[dvips]{graphicx} ...
            \includegraphics[width=0.8\linewidth] {myfile.eps}
237
238
       or
239
240
            \usepackage[pdftex]{graphicx} ...
241
            \includegraphics[width=0.8\linewidth]{myfile.pdf}
242
243
        for .pdf graphics. See section 4.4 in the graphics bundle documentation (http://www.ctan.
        org/tex-archive/macros/latex/required/graphics/grfguide.ps)
244
245
        A number of width problems arise when LaTeX cannot properly hyphenate a line. Please give
246
       LaTeX hyphenation hints using the \setminus – command.
247
248
        Acknowledgments
249
        Use unnumbered third level headings for the acknowledgments. All acknowledgments go at the
250
        end of the paper. Do not include acknowledgments in the anonymized submission, only in the final
251
        paper.
252
```

254 References

References follow the acknowledgments. Use unnumbered third level heading for the references.
Any choice of citation style is acceptable as long as you are consistent. It is permissible to reduce
the font size to 'small' (9-point) when listing the references. Remember that this year you can use
a ninth page as long as it contains *only* cited references.

[1] Alexander, J.A. & Mozer, M.C. (1995) Template-based algorithms for connectionist rule extraction. In
G. Tesauro, D. S. Touretzky and T.K. Leen (eds.), *Advances in Neural Information Processing Systems* 7, pp.
609-616. Cambridge, MA: MIT Press.

[2] Bower, J.M. & Beeman, D. (1995) *The Book of GENESIS: Exploring Realistic Neural Models with the GEneral NEural SImulation System.* New York: TELOS/Springer-Verlag.

[3] Hasselmo, M.E., Schnell, E. & Barkai, E. (1995) Dynamics of learning and recall at excitatory recurrent synapses and cholinergic modulation in rat hippocampal region CA3. *Journal of Neuroscience* 15(7):5249-5262.

267

253

- 268
- 269